### BEPOTIS EYE DROPS

## Bepotastine Besilate 15 mg

"Fast Relief. Long-Lasting Allergy Control."

Marketed by: Human Opthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanopthocare.com









### Product Overview

### Bepotis Eye Drops

- Active ingredient: Bepotastine Besilate 15 mg
- Dual-action: Antihistamine + Mast Cell Stabilizer
- Rapid onset within minutes & sustained relief up to 12 hours
- Provides relief from itching, redness, tearing & allergic symptoms
- Non-sedating, topical ocular anti-allergic solution







## Why Bepotastine?

Dual Mechanism of Action

 Immediate & Longterm Control

Offers both immediate & longterm control of allergic conjunctivitis



Superior tolerability & patient comfort



### Indications

# Bepotis is recommended for

### Seasonal allergic conjunctivitis

Effective relief during pollen seasons and environmental allergen exposure

# Relief from ocular itching, redness & watering

Addresses the most common and uncomfortable symptoms

#### Perennial allergic conjunctivitis

Year-round protection for chronic allergy sufferers

# Patients with recurrent/long-term allergic eye disease


Ideal for those requiring consistent, reliable treatment



## Clinical Advantages



\* Key Benefits of Bepotis:





# Comparison with Other Anti-Allergics

Parameter	Bepotis (Bepotastine)	Olopatadine	Ketotifen
Onset of Action	Rapid (minutes)	/ Moderate	1 Moderate
Duration	Long (12 hrs)	<b>✓</b> 8-12 hrs	1 Shorter
Dual Action	Yes	Yes	Yes
Sedation Risk	None	None	/ Mild
Tolerability	Excellent	Excellent	1 Moderate





## Dosage & Administration





#### **P** Dosage:

1 drop into the affected eye(s) twice daily (every 8–12 hours).





#### Duration:

Safe for long-term, seasonal & perennial use.

- 1 Remove contact lenses before instillation; reinsert after 15 minutes.
- For topical ophthalmic use only.



# Safety & Tolerability



Possible side effects:

- Mild transient stinging/burning on instillation
- Headache, mild bitter taste (rare)
- No systemic sedation or drowsiness

### O Contraindicated in:

- Hypersensitivity to bepotastine or formulation components
- Caution in pediatric patients <2 years unless clinically necessary



## Why Prescribe Bepotis?



- 3 Doctor's Choice For:
- 1 Rapid & long-lasting relief
  From ocular allergy symptoms
- 2 Dual-action therapy (immediate + preventive)
- 3 High safety margin
  Minimal systemic absorption
- 4 Reliable option

  For seasonal & perennial allergic conjunctivitis
- 5 Trusted quality
  From HumAn Opthocare



## Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Opthocare – A Division of Human Biolife India Pvt. Ltd.





+91 6283361749

