HYBRONAC EYE DROPS

Bromfenac 0.09%

"Powerful Relief. Long-lasting Ocular Anti-inflammatory."

Marketed by: Human Opthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanopthocare.com







Product Overview



Bromfenac 0.09%

A potent NSAID with enhanced ocular penetration



Mechanism of Action

Inhibits prostaglandin synthesis →
Reduces inflammation, pain & edema



Long-lasting Action

Long-lasting anti-inflammatory action with convenient dosing



Versatile Application


Safe & effective in post-cataract, refractive & other ocular surgeries



Evidence-based

Trusted ophthalmic solution with strong clinical evidence







Enhanced Penetration

High lipophilicity → excellent corneal penetration

Better Compliance

NSAIDs → better compliance vs. other

Effective Relief

** Provides effective relief from ocular pain, swelling &

Superior Potency

Superior potency compared to older NSAIDs (Diclofenac, Ketorolac, Nepafenac)





Hybronac is recommended for:

Post-cataract Surgery

✓ Post-cataract surgery inflammation & pain



Refractive Surgery

✓ Post-LASIK/PRK ocular surface inflammation

Macular Edema

✓ Prevention & treatment of cystoid macular edema (CME)

Anterior Segment

Ocular pain & inflammation in anterior segment surgeries



Clinical Advantages





Superior Formulation

 Potent NSAID with superior penetration & bioavailability



Symptom Relief

Reduces ocular pain,
 photophobia, burning & swelling



Convenient Dosing

Convenient BID (twice daily)
 dosing



Better Outcomes

Enhances surgical outcomes & patient comfort

Proven Safety

Clinically proven safety & tolerability





Comparison with Other NSAIDs

Parameter	Bromfenac (Hybronac)	Nepafenac	Ketorolac	Diclofenac
Penetration	High	/ Moderate	X Low	X Low
Potency	Strongest	/ Moderate	/ Moderate	X Weak
Dosing	☑ BID	XTID	X QID	X QID
Patient Comfort	Excellent	⚠ Good	X Irritation	X Irritation

Dosage & Administration



Pre-Surgery


Start 24 hours before surgery

Application

Instill 1 drop in the affected eye(s) twice daily

Duration

Continue for 2 weeks post-surgery (or as directed)








Safety & Tolerability

- Generally well-tolerated. Possible mild side effects:
- Temporary burning or stinging
- Mild redness or irritation
- O Contraindications:
- Hypersensitivity to NSAIDs or formulation components
- Use with caution in patients with corneal epithelial disorders or history of NSAID hypersensitivity



Why Prescribe Hybronac?

S Doctor's Choice For:

Proven Efficacy

Proven efficacy in post-cataract & refractive surgery inflammation

Superior Formulation

Potent, long-lasting NSAID with superior penetration

Patient Compliance

Convenient dosing → enhances compliance

Trusted Quality

Macked by HumAn Opthocare's trusted quality





Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Opthocare – A Division of Human Biolife India Pvt. Ltd.





