




Bromfenac 0.09% + Moxifloxacin 0.5%

"Dual Relief. Anti-inflammatory + Anti-infective Protection."

Marketed by: Human Opthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanopthocare.com



Product Overview





Hybronac-M Eye Drops

Bromfenac 0.09%

Potent NSAID with strong anti-inflammatory & analgesic action

Moxifloxacin 0.5%

4th generation fluoroquinolone with broad-spectrum antibacterial coverage

Dual-action therapy

Reduces inflammation + prevents/treats post-surgical infections

Rapid recovery

Provides rapid recovery, comfort & safety in post-ocular surgeries

Sterile solution

Sterile ophthalmic solution



Why This Combination?



Bromfenac

Inhibits prostaglandin synthesis

→ reduces pain, inflammation & edema



Moxifloxacin


Shoad-spectrum antibacterial → prevents secondary infections



Together

* Ensures safe post-operative healing with pain relief + infection control

Reduces need for multiple medications → improved compliance





Indications

Hybronac-M is recommended for:

Post-cataract surgery

Inflammation & infection prophylaxis

Post-LASIK/PRK

Recovery support

Ocular trauma

With risk of infection & inflammation


Bacterial conjunctivitis

With associated pain & redness

Inflammation management

Where infection risk is present

Clinical Advantages





Combined therapy

Combines anti-inflammatory + antibacterial in one bottle



Symptom relief

Reduces ocular pain, redness & swelling rapidly



Infection prevention

Prevents bacterial infections post-surgery



Better outcomes

Improves surgical outcomes & patient comfort



Better compliance

Enhances compliance by reducing polypharmacy





Comparison with Monotherapy

Parameter	Hybronac-M (Bromfenac+Moxifloxacin)	Bromfenac Alone	Moxifloxacin Alone
Pain Relief	Strong	Strong	X None
Anti-infective	✓ Broad-spectrum	X None	✓ Broad-spectrum
Compliance	Single bottle	X Needs antibiotic cover	X Needs anti-inflammatory
Post-Surgical Care	Comprehensive	1 Partial	1 Partial

The Hybronac-M combination provides comprehensive care that individual medications cannot achieve alone.



Dosage & Administration

1

Recommended dosage

Instill 1 drop in the affected eye(s) 2-3 times daily or as directed by the physician.

2


Duration

1 Continue for the prescribed duration after surgery for best outcomes.

3

Route

1 For ophthalmic use only.



Safety & Tolerability

Generally welltolerated

Possible mild side effects:

Transient irritation, burning, or stinging

Mild conjunctival hyperemia


Rare hypersensitivity reactions





Contraindications:

- Hypersensitivity to NSAIDs, quinolones, or formulation components
- Use with caution in corneal epithelial disorders







Why Prescribe Hybronac-M?

Strate Doctor's Choice For:

Dual benefit

Anti-inflammatory + antibacterial

2

Post-surgical care

Excellent choice for post-cataract & LASIK care

3

Faster recovery

Prevents complications, ensures faster recovery

4

Trusted quality

Trusted quality by HumAn Opthocare



Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Opthocare – A Division of Human Biolife India Pvt. Ltd.





