

MOXYTRIP EYE DROPS

Moxifloxacin Ophthalmic Solution


0.5% w/v

Powerful Protection. Rapid Recovery.

Marketed by: Human Opthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanopthocare.com



Product Overview

Active Ingredient

Moxifloxacin 0.5% w/v

Classification

Broad-spectrum 4th generation fluoroquinolone

Mechanism of Action

Bactericidal action → inhibits bacterial DNA gyrase & topoisomerase IV

Key Features

Rapid penetration into ocular tissues
Sterile, preservative-free formulation

Why Moxifloxacin?

Advanced Antibacterial Agent



Advanced Generation

4th-generation fluoroquinolone → covers both Gram +ve & Gram -ve bacteria



High Penetration

✓ High corneal penetration → effective for anterior segment infections



Superior Potency

⚡ Superior potency vs earlier fluoroquinolones



Fights Resistance

★ Effective against resistant strains (Streptococcus, Staphylococcus, Haemophilus, Pseudomonas)

Indications

💡 **MOXYTRIP Eye Drops** are recommended for:

- Bacterial Conjunctivitis
- Keratitis & Corneal Ulcers
- Post-operative prophylaxis
(cataract, LASIK, other ocular surgeries)
- Acute & chronic ocular infections
(caused by susceptible organisms)

Clinical Advantages

Key Benefits of MOXYTRIP



Broad-spectrum coverage → Gram +ve, Gram -ve, Atypicals

Fast bactericidal action

Effective in resistant ocular pathogens

High ocular penetration ensures rapid recovery

Preservative-free formulation → safer for long-term use

Comparison with Other Antibiotics

Parameter	MOXYTRIP (Moxifloxacin 0.5%)	Conventional Antibiotics
Spectrum Coverage	✓ Broad (Gram +ve, Gram –ve, atypicals)	⚠ Narrow
Resistant Strain Efficacy	✓ High	⚠ Limited
Corneal Penetration	✓ Excellent	⚠ Variable
Bactericidal Action	✓ Rapid	⚠ Slower
Tolerability	✓ Excellent	⚠ Moderate

Dosage & Administration

1

For bacterial conjunctivitis

1 drop in affected eye(s) **2–3 times daily** for 7 days

2

For corneal ulcer/keratitis

Initial frequent dosing (hourly on Day 1), taper as per severity



Important Precautions

- For external ophthalmic use only
- Do not touch dropper tip to any surface
- Complete full course to prevent resistance

Safety & Tolerability

Excellent Safety Profile

Possible mild side effects:

- Temporary burning/irritation
- Redness or stinging sensation
- Bitter taste after instillation (rare, transient)

Contraindicated in:

- Known hypersensitivity to moxifloxacin or other quinolones



Why Prescribe MOXYTRIP?

Doctor's Choice For:

Broad-spectrum coverage
including resistant pathogens

Rapid bactericidal action
→ faster healing

Excellent ocular penetration

Preservative-free & well tolerated

Trusted brand
from HumAn Optocare



Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Opthocare – A Division of Human Biolife India Pvt. Ltd.



www.humanophthocare.com



+91 6283361749

