PREDLOT-M EYE DROPS



Moxifloxacin & Lotepreanol Etabonate Ophthalmic Suspension

"Dual Power. Infection Control with Inflammation Relief."

Marketed by: Human Opthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanopthocare.com





Product Overview

Active Ingredients:

- Moxifloxacin → Broadspectrum 4th gen fluoroquinolone antibiotic
- Lotepreanol Etabonate →
 Potent corticosteroid with anti-inflammatory effect

Multi-action formulation:

Infection control + Inflammation relief

Specially designed for:


Post-surgical ocular infections, inflammatory conditions & acute eye infections




Why Predlot-M?


Dual Mechanism of Action





Moxifloxacin






Lotepreanol Etabonate

Reduces swelling, redness, pain & post-surgical inflammation

Advantage: Treats both cause (infection) + symptoms (inflammation) in one solution

Indications

- Predlot-M is recommended for:
- Post-cataract & LASIK surgery prophylaxis
- Ocular infections with significant inflammation
- Bacterial conjunctivitis & keratitis
- Steroid-responsive ocular inflammatory conditions





Clinical Advantages





Combination therapy

Combination of broad-spectrum antibiotic & safe steroid



Patient-friendly

Enhances patient comfort & compliance



Faster resolution

Faster resolution of infection & inflammation



Preventative

Prevents post-operative complications



Reduced resistance

Reduces risk of antibiotic resistance vs. older fluoroquinolones



Comparison with Other Eye Drops

| Parameter | Predlot-M (Moxi + Lotepreanol) | Moxifloxacin Alone | Steroid Alone |
|--------------------|-----------------------------------|----------------------------|---|
| Antibacterial | ✓ Strong Broad-Spectrum | Strong | None Non |
| Anti-inflammatory | Potent (Lotepreanol) | None | Strong |
| Post-op Use | Excellent | 1 Limited | / Limited |
| Patient Compliance | Single solution | / Needs additional steroid | / Needs antibiotic cover |



Dosage & Administration




nd Dosage:

1 drop into affected eye(s), 2-3 times daily or as directed by physician.

Important Warnings:

- Use during post-surgical period as per ophthalmologist's advice.
- Not for prolonged unsupervised use (due to steroid component).
- For topical ophthalmic use only.





Safety & Tolerability

Generally Well-Tolerated


Possible side effects:


- Mild burning/irritation
- Temporary blurred vision
- Steroid-related rise in IOP (rare with lotepreanol)

Contraindications:

- Viral/fungal eye infections
- Hypersensitivity to fluoroquinolones/steroids
- Long-term unsupervised use

Why Prescribe Predlot-M?







Post-surgical management

Post-surgical infection + inflammation management



Combination therapy

Dual action therapy → Antibiotic + Steroid



Safer option

Safer steroid option (lotepreanol vs. prednisolone)



Better compliance

High patient compliance with single bottle therapy



Trusted brand

Trusted **HumAn Opthocare** formulation





Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Opthocare – A Division of Human Biolife India Pvt. Ltd.





